

CERTIFICATE OF COMPLIANCE

Certificate Number 20130716-EX4104
Report Reference EX4104-19891229
Issue Date 2013-JULY-16

Issued to: IPEX INC
SUITE 101
3 PLACE DU COMMERCE
ILE DES SOEURS, VERDUN
QC H3E 1H7 CANADA


This is to certify that representative samples of FITTINGS, PVC AND FIBERGLASS
REINFORCED EPOXY
See Addendum Page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1285, Pipe and Couplings, Polyvinyl Chloride (PVC) and Oriented Polyvinyl Chloride (PVCO) for Underground Fire Service

Additional Information: See the UL Online Certifications Directory at www.ul.com/database for additional information

Only those products bearing the UL Listing Mark should be considered as being covered by UL's Listing and Follow-Up Service.

The UL Listing Mark generally includes the following elements: the symbol UL in a circle:  with the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20130716-EX4104
Report Reference EX4104-19891229
Issue Date 2013-JULY-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Injection-molded PVC fittings in accordance with ANSI/AWWA C907.

Configuration	Size, in.
(Stop) Couplings	4, 6, 8, 10
11-1/4 degree Elbows	6, 8
22-1/2 degree Elbows	4, 6, 8, 10, 12
45 degree Elbows	4, 6, 8, 10, 12
90 degree Elbows	4, 6, 8
Tees	4, 6, 8, 10, 12
Reducing Tee	8x8x6, 8x8x4, 6x6x4, 10x10x4, 10x10x6, 10x10x8, 12x12x4, 12x12x6, 12x12x8, 12x12x10
Hydrant Tees	10x10x6, 12x12x6
Single Tapped Coupling	4, 6, 8
Reducer Bushing	6x4, 8x6, 10x8, 12x10
Plugs	4, 6, 8, 10
(Repair) Coupling	4, 6, 8, 10
Double Tapped Outlet Coupling	6x6x3/4x3/4, 6x6x1x3/4, 6x6x(20)x(20), 6x6x(25)x(25), 6x6x(25)x(20), 6x6x1x1, 8x8x3/4x3/4, 8x8x(20)x(20), 8x8x(25)x(25), 8x8x(25)x(20), 8x8x1x3/4, 8x8x1x1



William R. Carney, Director, North American Certification Programs
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

